

IL-8 (3A4) MOUSE MAB

货号: N261302

产品全名: IL-8 (3A4) 小鼠单抗

基因符号 IL-8 (3A4); 9E3; CXCL8; CEF-4; GCP-1; Granulocyte chemotactic protein 1

UNIPROT ID: P10145

背景: IL-8 is a chemotactic factor that attracts neutrophils, basophils, and T-cells, but not monocytes. It is also involved in neutrophil activation. It is released from several cell types in response to an inflammatory stimulus. IL-8(6-77) has a 5-10-fold higher activity on neutrophil activation, IL-8(5-77) has increased activity on neutrophil activation and IL-8(7-77) has a higher affinity to receptors CXCR1 and CXCR2 as compared to IL-8(1-77), respectively.

抗原: Synthetic peptide conjugated to KLH.

经过测试的应用: IHC-P

推荐稀释比: IHC: 1/50-1/100

种属反应性: Mouse

克隆性: Mouse Monoclonal

克隆编号: 3A4-8B3-7H1

分子量: -

亚型: IgG1


纯化: Affinity Purified

种属反应性: Human,Rat,Mouse


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

研究领域: Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemical analysis of paraffin-embedded Human tonsils using IL-8 (3A4) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human Kidney Tissue using IL-8 (3A4) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.