

HUMAN F2RL1 PROTEIN, HFC TAG

货号: 11785

产品全名: 人 F2RL1 蛋白

规格: 10/50/100 µg

基因符号 GPR11;PAR2

目标蛋白: F2RL1

UNIPROT ID: P55085

描述: Recombinant human F2RL1 protein with C-terminal human Fc tag

背景: This gene encodes a member of the G-protein coupled receptor 1 family of proteins. The encoded cell surface receptor is activated through proteolytic cleavage of its extracellular amino terminus, resulting in a new amino terminus that acts as a tethered ligand that binds to an extracellular loop domain. Activation of the receptor has been shown to stimulate vascular smooth muscle relaxation, dilate blood vessels, increase blood flow, and lower blood pressure. This protein is also important in the inflammatory response, as well as innate and adaptive immunity. [provided by RefSeq, Jun 2016]

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 29.7 kDa after removal of the signal peptide. The apparent molecular mass of F2RL1-hFc is approximately 33–53 kDa due to glycosylation.

分子特征: F2RL1(Ser37–Gly71) hFc(Glu99–Ala330)

纯化: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human F2RL1 Protein, hFc Tag on SDS-PAGE under reducing condition.